工品进出口

上 海 工 品 进 出 口 有 限 公 司

SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

公司概况

上海工品进出口有限公司是一家专业的综合性进出口企业，长期从事工业产品的全球采购与供应，致力于为国内外客户提供稳定、高效、合规的贸易服务。近年来，公司重点发展HMPE产品及非金属补偿器用面料及辅料业务。公司严格筛选合作工厂，优先选择具备ISO 9001等质量管理体系的优质制造商，并可根据客户需求提供规格书、检测报告、材质证明、原产地证明及相关合规文件，协助满足 REACH、RoHS、CE、ASTM、EN、JIS等标准要求。

主营业务

* HMPE产品（如HMPE纤维织物、HMPE绳索等）
* 非金属补偿器用面料及辅料
* 保温隔热材料
* 防火阻燃材料
* 密封材料
* 各类工业配套产品
* 部分化工产品
* 日用消费品进出口

市场与客户

二十多年来，公司已与欧洲、北美、中东、日本、韩国、印度等国家和地区的客户建立了长期稳定的合作关系，持续服务于对质量、交期和合规要求较高的客户群体。

核心优势

丰富的行业经验，
熟悉产品特性、制造工艺、国际贸易流程及市场需求，能够快速响应客户需求并提供专业支持。
专业的团队支持
拥有经验丰富的国际贸易团队，可为客户提供从询盘、打样、下单到出运的全流程服务。
稳定的合作网络
与优质制造商及海外合作伙伴长期合作，保障供货稳定、交期可控和品质一致。
质量与合规保障
坚持以质量为基础，重视过程跟踪和出货检验，并可根据客户要求提供第三方检测、批次追溯及出口单证支持。
诚信务实的理念
坚持诚信经营，注重长期合作与互利共赢。

服务能力

* 产品推荐与采购支持
* 供应链协调与管理
* 进出口业务服务
* 商务沟通与客户对接
* 定制化贸易解决方案
* 质量文件、检测资料及合规文件支持
* 订单跟踪、出货安排与单证服务

合作愿景

我们始终坚持“质量为本、诚信经营、合作共赢”的理念，致力于成为连接中国优质制造商与全球客户的可靠桥梁。上海工品进出口有限公司总经理李广栋先生携全体员工，诚挚欢迎海内外新老客户洽谈合作。

Company Profile

Company Overview

Shanghai Industrial Products Import & Export Co., Ltd. is a professional comprehensive import and export company specializing in the global sourcing and supply of industrial products. We provide stable, efficient, and compliant trade services to customers worldwide. In recent years, we have focused on HMPE products and fabrics and accessories for non-metallic compensators.

We carefully select qualified manufacturing partners, with priority given to suppliers operating under ISO 9001 quality management systems. Upon request, we can provide product specifications, test reports, material certificates, certificates of origin, and other compliance documents, and support requirements such as REACH, RoHS, CE, ASTM, EN, JIS, or customer-specified standards.

Main Business

* HMPE products (such as HMPE fiber fabrics and HMPE ropes)
* Fabrics and accessories for non-metallic compensators
* Thermal insulation materials
* Fire-retardant and flame-resistant materials
* Sealing materials
* Industrial supporting products
* Selected chemical products
* Import and export of consumer goods

Markets and Customers

For more than 20 years, we have built long-term partnerships with customers in Europe, North America, the Middle East, Japan, South Korea, India, and other regions, serving clients with high requirements for quality, delivery, and compliance.

Core Strengths

Extensive Industry Experience

We have solid knowledge of product characteristics, manufacturing processes, international trade procedures, and market requirements, enabling us to respond quickly and effectively.

Professional Team Support

Our experienced international trade team provides full-process support from inquiry and sampling to order placement and shipment.

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

Reliable Partnership Network

We work closely with trusted manufacturers and overseas partners to ensure stable supply, controllable lead times, and consistent quality.

Quality and Compliance Assurance

Quality is at the core of our operations. We focus on process tracking and pre-shipment inspection, and can arrange third-party testing, batch traceability, and export documentation support upon request.

Integrity and Practicality

We value honest business practices, long-term cooperation, and mutual benefit.

Service Capabilities

* Product recommendation and sourcing support
* Supply chain coordination and management
* Import and export services
* Business communication and customer liaison
* Customized trade solutions
* Support for quality documents, test reports, and compliance materials
* Order tracking, shipment arrangement, and documentation services

Partnership Vision

We uphold the principles of “Quality First, Integrity-Based Operation, and Win-Win Cooperation” and are committed to serving as a reliable bridge between quality Chinese manufacturers and global customers.

Mr. Li Guangdong, General Manager of Shanghai Industrial Products Import & Export Co., Ltd., together with our team, sincerely welcomes customers and partners from home and abroad.

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

上 海 工 品 进 出 口 有 限 公 司
SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

PRODUCTS:

UNCOATED WOVEN GLASS FABRIC (KE700)

TECHNICAL DATA SHEET

UNCOATED WOVEN GLASS FABRIC (KE700)				
(Item Number: 50000105)				
1	CHARACTERISTIC		KE-700	
2	WEAVE		PLAIN	
3	YARN (Tex)	WARP	ET9 580 Tex	ETG 8.62
		WEFT	ET9 580 Tex	ETG 8.62
4	WIDTH		200 cm +2/-0cm	78.7 inch
5	THICKNESS		0.75 mm ± 0.15mm	0.03 inch
6	WEIGHT		750 ± 50 g/m2	22 OZ/YD2
7	THREAD COUNT	WARP	7 ± 0.5 per cm	17.7 per inch
		WEFT	6 ± 0.5 per cm	15 per inch
8	TENSILE STRENGTH	WARP	> 2500 N/5cm	278 lbs/inch
		WEFT	> 2150 N/5cm	239 lbs/inch
9	L.O.I%		< 0.5%	
10	SERVICE TEMPERATURE		550℃	

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

上 海 工 品 进 出 口 有 限 公 司
SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

PRODUCTS:

UNCOATED WOVEN GLASS FABRIC (KE1300)

TECHNICAL DATA SHEET

UNCOATED WOVEN GLASS FABRIC (KE700)				
(Item Number: 50000105)				
1	CHARACTERISTIC		KE-700	
2	WEAVE		PLAIN	
3	YARN (Tex)	WARP	ET9 580 Tex	ETG 8.62
		WEFT	ET9 580 Tex	ETG 8.62
4	WIDTH		200 cm +2/-0cm	78.7 inch
5	THICKNESS		0.75 mm ± 0.15mm	0.03 inch
6	WEIGHT		750 ± 50 g/m2	22 OZ/YD2
7	THREAD COUNT	WARP	7 ± 0.5 per cm	17.7 per inch
		WEFT	6 ± 0.5 per cm	15 per inch
8	TENSILE STRENGTH	WARP	> 2500 N/5cm	278 lbs/inch
		WEFT	> 2150 N/5cm	239 lbs/inch
9	L.O.I%		< 0.5%	
10	SERVICE TEMPERATURE		550℃	

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

上 海 工 品 进 出 口 有 限 公 司
SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

PRODUCTS:

BLACK COATED WOVEN GLASS FABRIC (KE700)

TECHNICAL DATA SHEET

BLACK COATED WOVEN GLASS FABRIC (KE700)			
1	CHARACTERISTIC		Black Coated KE-700
BASE FABRIC CHARACTERISTICS			
2	WEAVE		PLAIN
3	YARN (Tex)	WARP	ET9 580 Tex
		WEFT	ET9 580 Tex
4	WIDTH		200 cm +2/-0cm
5	THICKNESS		0.75 mm ± 0.15mm
6	WEIGHT		750 g/m2 ± 10%
7	THREAD COUNT	WARP	7 per cm ± 0.5
		WEFT	6 per cm ± 0.5
8	TENSILE STRENGTH	WARP	> 2450 N/ 5cm
		WEFT	> 2100 N/ 5cm
9	L.O.I%		<1.0%
10	COATING MATERIALS ACRYLIC WEIGHT		15±5 g/m2

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

上 海 工 品 进 出 口 有 限 公 司
SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

PRODUCTS:

BLACK COATED WOVEN GLASS FABRIC (KE1300)

TECHNICAL DATA SHEET

UNCOATED WOVEN GLASS FABRIC (KE1300)				
(Item Number: 50000088)				
1	CHARACTERISTIC		KE-1300	
2	WEAVE		PLAIN	
3	YARN (tex)	WARP	ET9 1290 Tex	ETG 4.00
		WEFT	ET9 1290 Tex	ETG 4.00
4	WIDTH		200 cm +2/-0cm	78.7 inch
5	THICKNESS		1.4 mm ± 0.1mm	0.055 inch
6	WEIGHT		1310 ± 50 g/m2	39.7 OZ/YD2
7	THREAD COUNT	WARP	6 ± 0.5 per cm	15 per inch
		WEFT	4 ± 0.5 per cm	10 per inch
8	TENSILE STRENGTH	WARP	> 4800 N/5cm	533 lbs/inch
		WEFT	> 4500 N/5cm	500 lbs/inch
9	L.O.I%		< 0.5%	
10	SERVICE TEMPERATURE		550℃	

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

上 海 工 品 进 出 口 有 限 公 司
SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

PRODUCTS:

P.T.F.E. Coated Woven Glass Fabric (Black)

TECHNICAL DATA SHEET

P.T.F.E. Coated Woven Glass Fabric (Black)				
ITEM			Parameters	Test Data
Base Fabric Characteristics				
1	Weave Type		Plain	Plain
2	Yarn	Warp	ECG 37Tex 1/4	ECG 37Tex 1/4
		Weft	ECG 37Tex 1/3	ECG 37Tex 1/3
3	Thread Count (per cm)	Warp	10 ± 0.5	10
		Weft	5.5 ± 0.5	5.5
4	Basic Fabric Weight (g/m2)		800 ± 20	801
5	Basic Fabric Thickness (mm)		0.75 ± 0.05	0.75
Finish Product Characteristics				
6	Width (mm)		2000mm +20 /-0 mm	2005
7	Thickness (mm)		0.9mm ± 0.09mm	0.90
8	Tensile Strength (N)	Warp	> 4000 N/ 50mm	4900
		Weft	> 2000 N/ 50mm	2400
9	PTFE Coating Weight (g/m2)		> 350	410
10	Total Weight (g/m2)		1150 ± 100	1207

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

上 海 工 品 进 出 口 有 限 公 司
SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

PRODUCTS: Silicone Coated Woven Glass Fabric-1.2mm

TECHNICAL DATA SHEET

Silicone Coated Woven Glass Fabric-1.2mm			
1	CHARACTERISTIC		Silicone Coated Woven Glass Fabric-1.2mm
Base Fabric Characteristics			
2	Weave		Satin
3	Yarn (Tex)	Warp	CC11 140 Tex X 1 X 2
		Weft	CC11 140 Tex X 1 X 2
4	Width (cm)		100cm or 120 cm +2 /-0cm
5	Thickness (mm)		0.9 ± 0.2
6	Basic Fabric Weight (g/m2)		1100 ± 80
7	Thread Count (per cm)	Warp	18 ± 1.8
		Weft	12 ± 1.2
8	Tensile Strength	Warp	> 8000 N/ 50mm
		Weft	> 7000 N/ 50mm
9	Silicone Coating Thickness		0.3mm ± 0.05mm
	Silicone Coated Weight (g/m2)		750 + 75 / - 0
10	Finish Product Thickness		1.2mm ± 0.12mm
11	Total Weight (g/m2)		1900 ± 200
12	Working Temperature of Silicone Coating Fabric		250℃

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

HMPE (UHMWPE) Protective Fabric

The fabric is designed for marine rope protection applications, providing excellent abrasion resistance, durability and protection for high-performance mooring and towing ropes.



Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com







Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com


Silicone Coated Glass Fiber Fabric (One side thick coating; other side thin coating)(Color: Orange)
(Base Glass Fiber Fabric Weight: about 800g/m2)
(Silicone Coated Weight: about 700 g/m2)
(Total Weight: about 1500g/m2)
Thickness: 1.0mm Width: 1200mm Length: 50m
Size: 1.0mm X 1000mm or 1200mm X 50m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai
China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


Silicone Coating Woven Glass Fabric
(One side thick coating; other side very thin
Coating) (Color: Black) (Weight: 1850g/m2)
Base Glass Fiber Fabric Weight: 1040g/m2
Thickness: 1.1mm Width: 1200mm

Both Sides Silicone Coating Glass Fiber Fabric(Red)
Thickness: 1.5mm Width: 1000mm or 1200mm
Length: 50m/Roll
Size: 1.5mm X 1000mm or 1200mm X 50m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai,
China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


Both Sides Silicone Coating Glass Fiber Fabric(Red)
Thickness: 3.0mm Width: 1000mm or 1200mm
Length: 50m/Roll
Size: 3.0mm X 1000mm or 1200mm X 50m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai,
China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


PTFE Coated Woven Glass Fabric (Base Woven Glass Fabric Weight: about 750g/m2)
(Black PTFE Coating Weight: about 350g/m2)
(Total Weight: about 1100g/m2) (Color: Black)
Thickness: 0.9mm Width: 2000mm
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com

Cross Laminated P.T.F.E. Foil (Black)
(2ply PTFE Foil Laminated together)
Thickness: 0.15 mm
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


PFA Foil
Thickness: 0.1mm Width: 600mm
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


One Side Viton Coated Glass Fiber Fabric
Thickness: 1.2mm Width: 1000mm or 1200mm
Length: 50m/Roll
Size: 1.2mm X 1000mm or 1200mm X 50m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


Vermiculite & Calcium Silicate Coated Fiber
Glass Fabric (KE-1400HT) (Twill)
Size: 2.0mm X 1400mm X 50m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai,
China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


One Side EPDM Coated Glass Fiber Fabric
Thickness: 1.5mm Width: 1000mm or 1200mm
Length: 25m/Roll
Size: 1.5mm X 1000mm or 1200mm X 25m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai,
China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


High Silica Fabric–600 (600g/m2) (Satin)
(Weight: 600g/m2)(Silica Content: > 97%)
(Linear Thermal Shrinkage Rate: < 3%)
Size: 0.6mm X 1230mm X 50m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai,
China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com


High Silica Fabric–HSF1250 (Satin)
(Weight: 1250g/m2)(Silica Content: > 97%)
(Linear Thermal Shrinkage Rate: < 3%)
Size: 1.3mm X 860mm X 50m
Shanghai Industrial Products Imp. & Exp. Co., Ltd.
3F Luxun Mansion, No.568 Ouyang Road, Shanghai,
China. Postcode: 200081
E-mail: li_guangdong@hotmail.com
Tel: +86-21-56666787 Fax: +86-21-56666287
http://www.industrialproducts-sh.com

XU-037 YCR106 陶瓷纤维带
CERAMIC FIBERTAPE
规格 /SPEC: 宽度 /WIDTH: 25mm-200mm
厚度 /THICKNESS: 1.5mm-6.0mm

XU-038 YGT100 膨体玻璃纤维纱
TEXTURIZED GLASS FIBRE YARN
规格 / SPEC:430tex-2400tex

XU-039 YGT101 玻璃纤维膨体纱扭绳
GLASS ROPES MADE OF BULK YARN
规格 /SPEC: ϕ 3mm- ϕ 50mm

XU-040 YGT102 玻璃纤维膨体圆绳
GLASS CORDS MADE OF TEXTURIZED YARN
规格 /SPEC: ϕ 3mm- ϕ 50mm

XU-041 YGT103 膨体玻璃纤维方绳
BRAIDED TEXTURIZED GIASS SQUARE ROPE
规格 /SPEC: ϕ 3mm- ϕ 50mm

XU-042 YGT105 膨体玻璃纤维布
铝箔膨体玻璃纤维布
TEXTURIZED GLASS FIBRE CLOTH
TEXTURIZED GLASS FIBRE CLOTH WITH ALUMINUM FOIL
规格 /SPEC: 宽度 /WIDTH: 1000mm
厚度 /THICKNESS: 1.5mm-6.0mm

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com



XU-043 YG105 玻璃纤维方格布
GLASS FIBRE WOREN ROVING

XU-044 YGT106膨体玻璃纤维带/铝箔膨体玻璃纤维带
GLASS FIBRE INSULATION TAPE
GLASS FIBRE INSULATION TAPE WITH ALUMINUM FOIL



XU-045 HT3784 玻璃纤维布
HT3784 GLASS FIBER FABRIC

XU-046 3784 玻璃纤维布
3784 GLASS FIBER FABRIC

XU-047 F101/FD101/ 石棉线 / 无尘石棉线
TWISTED ASBESTOS YARN
TWISTED ASBESTOS YARN DUST FREE

XU-048 F102/FD102石棉圆绳/无尘石棉圆绳
BRAIDED ASBESTOS ROUND ROPE
BRAIDED ASBESTOS ROUND ROPE DUST FREE

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

XU-055 铝箔防火隔热套装

ALUMINUM FOIL FIRE RESISTANT SUIT

规格：大号，特大号

包装：纸箱，每箱一套

耐火度：300℃

SPEC:LARGE SIZE

PACKING:1 SET/CARTON

TEMP:300℃

XU-056 铝箔碳纤维防火隔热套装

CARBON FIBRE CLOTH WITH ALUMINUM FOIL SUIT

规格：大号，特大号

包装：纸箱，每箱一套

耐火度：300℃

SPEC:LARGE SIZE

PACKING: 1 SET/CARTON

TEMP:300℃

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

XU-057/XU-058
石棉连指/分指手套
规格:12"15"18"
包装:纸箱,每箱50付
耐温度:400℃

XU-057/XU-058
ASBESTOS GLOVES,MITTEN/FINGER
SPEC:12"15"18"
PACKING:50 PAIRS/CARTON
TEMP:400℃

XU-059/XU-060
铝箔防火隔热连指/分指手套
规格:12"15"18"
包装:纸箱,每箱50付
耐温度:300℃

XU-059/XU-060
ALUMINUM FOILGLOVES, MITTEN/FINGER
SPEC:12"15"18"
PACKING:50 PAIRS/CARTON
TEMP:300℃

XU-061/XU-062
碳纤维连指/分指手套
规格:12"15"18"
包装:纸箱,每箱50付
耐温度:300℃

XU-061/XU-062
CARBON CLOTH WITH ALUMINUM FOIL GLOVES MITTEN/FINGER
SPEC:12"15"18"
PACKING:50 PAIRS/CARTON
TEMP:300℃

XU-063/XU-064
芳纶纤维连指/分指手套
规格:12"15"18"
包装:纸箱,每箱50付
耐温度:250℃

XU-063/XU-064
KEVLAR GLOVES, MITTEN/FINGER
SPEC:12"15"18"
PACKING:50 PAIRS/CARTON
TEMP:250℃

XU-065/XU-066
陶瓷纤维连指/分指手套
规格:12"15"18"
包装:纸箱,每箱50付
耐温度:1000℃

XU-065/XU-066
CERAMIC FIBRE GLOVES, MITTEN/FINGER
SPEC:12"15"18"
PACKING:50 PAIRS/CARTON
TEMP:1000℃

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com



XU-067 玻璃特殊制品
GLASS SPECIAL PRODUCTS

XU-068 断热用材料
HEAT INSULATION MATERIAL

XU-069 膨胀石墨布/膨胀石墨带
EXPANDED GRAPHITE CLOTH / TAPE

XU-070 膨胀石墨板
EXPANDED GRAPHITE SHEET

XU-071 膨胀石墨钢架复合板
STEEL GRAPHITE GASKET

XU-072 石棉四氟/芳纶丝/聚乙烯四氟/石墨/碳素/GFO/盘根/耐酸耐碱/填料环/亚麻等
ASBESTOS P.T.F.E .PACKING KEVLAR / PTFE / GRAPHITE / CARBON/GFO / PACKING / CHEMICALRESISTANCE / PACKING RINGS / RAMIE

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com



XU-073 膨胀石墨填料环
EXPANDED GRAPHITE PACKING RING

XU-074 膨胀石墨波纹带
EXPANDED GRAPHITE RIBBON PACKING

XU-075 云 母 板 / MB401 石棉板
MICA SHEET/MB401 ASBESTOS JOINTING

XU-076 高硅氧纤维
SHICA FIBER

XU-077 膨胀石墨线
EXPANDED GRAPHITEYARN



XU-078 密封垫片
SEALING WASHER

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

FIBERGLASS YARN 玻璃纤维纱

GY 550℃

C/E-glass fiber yarn
metric diameter 6, 9, 11 μm
12~800tex
中碱、无碱玻璃纤维有捻纱
单纤维直径6, 9, 11微米
12~800tex

fiberglass fabric
texturized yarn
玻璃纤维纱
膨体纱

GTY 550℃

C/E-glass fiber texturized yarn
metric diameter 6, 9, 11 μm
200~2400tex
中碱、无碱玻璃纤维膨体纱
单纤维直径6, 9, 11微米
200~2400tex

texturized fiberglass fabric and tape
texturized fiberglass rope and sleeving
heat preservation, heat insulation, filtration
膨体玻璃纤维布和带
膨体玻璃纤维绳和套管
保温，隔热，过滤材料

GTTY 550℃

C/E-glass fiber yarn texturized and twisted
metric diameter 6, 9, 11 μm
200~2400tex
中碱、无碱玻璃纤维有捻膨体纱
单纤维直径6, 9, 11微米
200~2400tex

texturized fiberglass fabric and tape
reinforcement
膨体玻璃纤维布和带
增强材料

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

FIBERGLASS FABRIC 玻璃纤维布

W7628 550℃

fiberglass fabric
0.18mm thickness
1270mm width
玻璃纤维布
厚度：0.18毫米
宽度：1270毫米

heat shields, removable insulation covers
fire curtains, expansion joints
热防护布、可移动的绝缘盖
防火帘、膨胀接头

W2523 550℃

fiberglass fabric
0.35mm thickness
1000~2000mm width
玻璃纤维布
厚度：0.35毫米
宽度：1000~2000毫米

heat shields, removable insulation covers
fire curtains, expansion joints
热防护布、可移动的绝缘盖
防火帘、膨胀接头

W3732 550℃

fiberglass fabric
0.43mm thickness
1000~2000mm width
玻璃纤维布
厚度：0.43毫米
宽度：1000~2000毫米

heat shields, removable insulation covers
fire curtains, expansion joints
热防护布、可移动的绝缘盖
防火帘、膨胀接头

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

FIBERGLASS FABRIC 玻璃纤维布

W3784 550℃

fiberglass fabric
0.8mm thickness
1000~2000mm width
玻璃纤维布
厚度：0.8毫米
宽度：1000~2000毫米

heat shields, removable insulation covers
fire curtains, expansion joints
热防护布、可移动的绝缘盖
防火帘、膨胀接头

W3788 550℃

fiberglass fabric
1.6mm thickness
玻璃纤维布
970mm width
厚度：1.6毫米
宽度：970毫米

heat shields, removable insulation covers
fire curtains, expansion joints
热防护布、可移动的绝缘盖
防火帘、膨胀接头

EW900 550℃

fiberglass fabric
0.9mm thickness
1000~2000mm width
玻璃纤维布
厚度：0.9毫米
宽度：1000~2000毫米

heat shields, removable insulation covers
fire curtains, expansion joints
热防护布、可移动的绝缘盖
防火帘、膨胀接头

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

TEXTURIZED FIBERGLASS FABRIC 玻璃纤维膨体布

WT2025 550℃

texturized fiberglass woven fabric
0.8mm thickness
1000~2000mm width
玻璃纤维膨体布
厚度：0.8毫米
宽度：1000~2000毫米

removable insulation covers
fire blankets、fire curtains
expansion joints and flue ducts
可移动的绝缘盖
防火毯、防火帘
膨胀接头和排烟管道

WFA 550℃

texturized fiberglass woven fabric
0.8~3.0 mm thickness
1000~2000mm width
玻璃纤维膨体布
厚度：0.8~3.0毫米
宽度：1000~2000毫米

removable insulation covers
fire blankets、fire curtains
expansion joints and flue ducts
可移动的绝缘盖
防火毯、防火帘
膨胀接头和排烟管道

WTS 550℃

reinforcement with steel wire
1.2~3.0mm thickness
1000~1500mm width
钢丝增强玻璃纤维膨体布
厚度：1.2~3.0毫米
宽度：1000~1500毫米

removable insulation covers
fire blankets、fire curtains
expansion joints and flue ducts
可移动的绝缘盖
膨胀接头和排烟管道

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

COATING FABRIC 涂层玻璃纤维布

WSR **260℃**

fiberglass fabric
coated with silicone rubber one side
单面涂硅橡胶玻纤布

heat shields, curtains
protection from molten metal splash
welding blanket, expansion joints
热屏蔽帘，防止金属溶液飞溅
电焊毯、膨胀接头

WSR **260℃**

fiberglass fabric
coated with silicone rubber one side
单面涂硅橡胶玻纤布

heat shields, curtains
protection from molten metal splash
welding blanket, expansion joints
热屏蔽帘，防止金属溶液飞溅
电焊毯、膨胀接头

WSR **260℃**

fiberglass fabric
coated with silicone rubber two side
双面涂硅橡胶玻纤布

heat shields, curtains
protection from molten metal splash
welding blanket, expansion joints
热屏蔽帘，防止金属溶液飞溅
电焊毯、膨胀接头

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

COATING FABRIC 涂层玻璃纤维布

WTSR 260℃

texturized fiberglass fabric
coated with silicone rubber one side
单面涂硅橡胶膨体玻纤布

heat shields, curtains
protection from molten metal splash
welding blanket, expansion joints
热屏蔽帘，防止金属溶液飞溅
电焊毯、膨胀接头

WSR 260℃

fiberglass fabric
coated with silicone rubber two sides
双面涂硅橡胶玻纤布

heat shields, curtains
protection from molten metal splash
welding blanket, expansion joints
热屏蔽帘，防止金属溶液飞溅
电焊毯、膨胀接头

WTSR 260℃

texturized fiberglass fabric
coated with silicone rubber one side
单面涂复硅橡胶膨体玻纤布

welding blanket
expansion joints
电焊毯、膨胀接头

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

COATING FABRIC 涂层玻璃纤维布

WAC **550℃**

fiberglass fabric
coated with acrylic
涂丙烯酸玻纤布

expansion joints
used to fire blanket
膨胀接头，防火毯

WAC **550℃**

fiberglass fabric
coated with acrylic
涂丙烯酸玻纤布

expansion joints
used to fire blanket
膨胀接头，防火毯

WTAC **550℃**

texturized fiberglass fabric
coated with acrylic
涂丙烯酸玻纤膨体布

expansion joints
used to fire blanket
膨胀接头，防火毯

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

COATING FABRIC 涂层玻璃纤维布

WTCR **300℃**

texturized fiberglass fabric
coated with neoprene two sides
双面涂氯丁胶玻纤膨体布

welding blanket
expansion joints
电焊毯、膨胀接头

WTCR **300℃**

texturized fiberglass fabric
coated with neoprene two sides
双面涂氯丁橡玻纤膨体布

welding blanket
expansion joints
电焊毯、膨胀接头

WTCR **300℃**

texturized fiberglass fabric
coated with neoprene two sides
双面涂氯丁橡玻纤膨体布

welding blanket
expansion joints
电焊毯、膨胀接头

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

COATING FABRIC 涂层玻璃纤维布

WTVM 850℃

texturized fiberglass fabric
coated with vermiculite
涂蛭石玻纤膨体布

high temperature thermal insulation
welding drop cloths
protective screens and fire curtains
高温隔热，焊接用布
保护屏和防火帘

WTGP 550℃

texturized fiberglass fabric coated with graphite
0.8~3.0mm thickness
1000~2000mm width
涂石墨玻纤膨体布
厚度：0.8~3.0毫米
宽度：1000~2000毫米

expansion joints
dust resistance
膨胀接头
防尘材料

WTPT 550℃

texturized fiberglass fabric coated with PTFE
0.8~3.0mm thickness
1000~2000mm width
涂四氟玻纤膨体布
厚度：0.8~3.0毫米
宽度：1000~2000毫米

expansion joints
dust resistance
膨胀接头
防尘材料

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

FINISHED FIBERGLASS FABRIC 特殊处理的玻璃纤维布



WTD 550℃

texturized fiberglass dyed fabric
0.8~3.0 mm thickness
1000~2000mm width
染色玻纤膨体布
厚度：0.8~3.0 毫米
宽度：1000~2000毫米

curtains for industrial ovens
pipe insulation or welding protection
工业炉的隔热帘
管道绝缘、电焊防护

WCF 550℃

carbonized fabric
1.6mm thickness
1000mm width
碳化布
厚度：1.6毫米
宽度：1000毫米

curtains for industrial ovens
pipe thermal insulation
工业炉的隔热帘
管道隔热

WTHT2025 550℃

texturized fiberglass fabric
0.8mm thickness
1000–2000mm width
热处理玻纤膨体布
厚度：0.8毫米
宽度：1000–2000毫米

curtains for industrial ovens
pipe thermal insulation
工业炉的隔热帘
管道隔热

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

WELDING BLANKET 电焊毯

BWTCR 300℃

texturized fiberglass fabric
coated with neoprene
welding blanket
氯丁胶玻纤膨体布电焊毯

protecting against welding sparks
used to fire blanket
电焊火花的防护
用做防火毯



BWTCR 300℃

texturized fiberglass fabric
coated with neoprene
welding blanket
氯丁胶玻纤膨体布电焊毯

protecting against welding sparks
used to fire blanket
电焊火花的防护
用做防火毯

BWAC 300℃

fiberglass fabric
coated with acrylic
welding blanket
涂丙烯酸玻纤布电焊毯

protecting against welding sparks
used to fire blanket
电焊火花的防护
用做防火毯

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

WELDING BLANKET 电焊毯

BWT 550℃

texturized fiberglass fibric
welding blanket
玻纤膨体布电焊毯

protecting against welding sparks
电焊火花的防护

BWSR 260℃

fiberglass fabric
coated with silicone rubber
welding blanket
硅橡胶玻纤布电焊毯

protecting against welding sparks
电焊火花的防护

BWTCR 300℃

fiberglass fabric
coated with neoprene rubbe
welding blanket
氯丁橡胶玻纤膨体布电焊毯

protecting against welding sparks
used to fire blanket
电焊火花的防护
用做防火毯

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

FINISHED FIBERGLASS FABRIC 特殊处理的玻璃纤维布

WAL 550℃

fiberglass fabric
laminated to aluminium foil
0.2mm thickness
1000mm width
覆铝箔玻纤布
厚度：0.2毫米
宽度：1000毫米

reflectible shields, exhaust insulation
protective clothing, fire wall barriers,

热辐射防护罩
排气装置的隔热
防护服、炉火隔热板

WAL 550℃

fiberglass fabric
laminated to aluminium foil
0.4mm thickness
1000~1500mm width
覆铝箔玻纤布
厚度：0.4毫米
宽度：1000~1500毫米

reflectible shields, exhaust insulation
protective clothing, fire wall barriers,

热辐射防护罩
排气装置的隔热
防护服、炉火隔热板



WTAL 550℃

texturized fiberglass fabric
laminated to aluminium foil
0.8~3.0mm thickness
1000~1500mm width
覆铝箔玻纤膨体布
厚度：0.8~3.0毫米
宽度：1000~1500毫米

reflectible shields, exhaust insulation
protective clothing, fire wall barriers,

热辐射防护罩
排气装置的隔热
防护服、炉火隔热板

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

TEXTURIZED FIBERGLASS TAPE 玻璃纤维带

TDY 550℃

texturized fiberglass dyed tape
0.8~3.0mm thickness
20~300mm width
玻纤膨体染色带
厚度：0.8~3.0毫米
宽度：20~300毫米

protecting cables from heat and fire
insulation for wrapping hot pipe
vertical strip furnace curtains
电缆防热、防火
高温管道隔热
炉的防护帘

TLD 550℃

texturized fiberglass ladder tape
0.8~3.0mm thickness
20~300mm width
玻纤膨体梯形带
厚度：0.8~3.0毫米
宽度：20~300毫米

specially used in flange jointing with bolts
特别用于阀兰与螺栓连接处

TSA 550℃

texturized fiberglass self adhesive tape
0.8~3.0mm thickness
20~300mm width
玻纤膨体自粘带
厚度：0.8~3.0毫米
宽度：20~300毫米

insulation for wrapping hot pipes
increasing the stability, cut resistance
protection against fraying
高温管隔热
增强稳定性、抗撕裂
防织物磨损后脱落

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

FINISHED FIBERGLASS TAPE 玻璃纤维带



TAL 550℃

texturized fiberglass tape
laminated with aluminium foil
0.8~3.0mm thickness
20~300mm width
覆铝箔玻纤膨体带
厚度：0.8~3.0毫米
宽度：20~300毫米

exhaust insulation
排气装置的隔热

SCT 260℃

texturized fiberglass tape
coated with silicone rubber
1.5~3.0mm thickness
20~300mm width
硅橡胶玻纤膨体带
厚度：1.5~3.0毫米
宽度：20~300毫米

protecting hoses and cables
软管和电缆的防护

TTPGPSA 550℃

texturized fiberglass tadpole tape
treated with graphite
1.6~3.0mm thickness
20~80mm overall width
10~30mm bulb diameter
石墨处理膨体玻纤蝌蚪带
厚度：1.6~3.0毫米
宽度：20~80毫米
凸起部分直径：10~30毫米

effective sealing on light metal flanges
suited for applications where closures
rest on the packing bulb
金属阀兰密封
其他球形物密封

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

TEXTURIZED FIBERGLASS ROPE 玻璃纤维绳

RRBG 550℃

texturized fiberglass braided round rope with fiberglass core
ϕ5~50mm
膨体玻纤编织圆绳 (玻纤芯)
直径：5~50毫米

coke furnace, stove and boiler burner, chimney door sealing valve or pump, exchanger,
炉、炼焦炉、锅炉、烟囱门密封阀、泵、换热器密封



RSB 550℃

texturized fiberglass braided square rope
5x5~50x50mm
膨体玻纤编织方绳
5x5~50x50毫米

coke furnace, stove and boiler burner, chimney door sealing valve or pump, exchanger
炉、炼焦炉、锅炉、烟囱门密封阀、泵、换热器密封

RKL 550℃

texturized fiberglass knitted rope without core
ϕ5~15mm
ϕ16~25mm
膨体玻纤针织绳
直径：5~15毫米（单层）
直径：5~15毫米（双层）

coke furnace, stove and boiler burner, chimney door sealing valve or pump, exchanger
炉、炼焦炉、锅炉、烟囱门密封阀、泵、交换器密封

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

FIBERGLASS PRODUCTS 玻璃纤维产品

ROC 550℃

texturized fiberglass yarn over braided rope
with ceramic fiber core
ϕ12.7~50mm
陶纤芯膨体玻纤纱编织松绳
直径：12.7~50毫米

coke furnace, stove and boiler
burner, chimney door sealing
valve or pump, exchanger
炉、炼焦炉、锅炉、烟囱门密封
阀、泵、交换器密封

RSL 550℃

texturized fiberglass sleeving
ϕ10~75mm
膨体玻纤套管
直径：10~75毫米

high temperature resistant electrical
cable, wire covering
high temperature pipe wrapping
电缆的绝缘包覆
高温管道的包覆



SSL 260℃

texturized fiberglass sleeving
coated with silicone rubber
Inner Diameter:10~100mm
膨体玻纤硅胶套管
内径：10~100毫米

protecting hoses and cables
软管和电缆的防护

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

CERAMIC FIBER PRODUCTS 陶瓷纤维产品

CRRB — 650-1050℃

ceramic fiber rope
round braided
ϕ6~50mm
陶瓷纤维绳
直径：6~50毫米

thermal insulation and sealing for stove burner, chimney door sealing
sealing for heat exchanger
工业炉的保温和密封、炉和烟囱门密封
热交换器密封

CT — 650-1050℃

ceramic fiber tape
1.5~3.0mm thickness
20~200mm width
陶瓷纤维带
厚度：1.5~3.0毫米 宽度：20~200毫米

high temperature resistant electrical cable, wire covering
high temperature pipe wrapping
高温电绝缘电缆、电线防护
高温管道保温

CF — 650-1050℃

ceramic fiber fabric
1.5~3.0mm thickness
1000mm width
陶瓷纤维布
厚度：1.5~3.0毫米
宽度：1000毫米

large area industrial thermal insulation
flexible fabric expansion joints
radiant heat shielding
heat insulation curtain, blanket
广泛用于工业保温、膨胀接头
防热辐射、隔热帘、隔热毯

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081
Tel: + 86-21-56666787; + 86-131-62592999 Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com & E-mail: info@industrialproducts-sh.com
Http: // www. industrialproducts-sh.com

Shanghai Industrial Products Import & Export Company
上海工品进出口有限公司

上 海 工 品 进 出 口 有 限 公 司

SHANGHAI INDUSTRIAL PRODUCTS IMP. & EXP. CO., LTD.

Add: 3F Luxun Mansion, No.568 Ouyang Road, Shanghai, China. Postcode: 200081

地址：上海市欧阳路568号庐迅大厦3F　　邮政编码：200081

Tel: + 86-21-56666787; + 86-131-62592999
Fax: + 86-21-56666287
E-mail: li_guangdong@hotmail.com
E-mail: info@industrialproducts-sh.com
E-mail: guangdong_li@sina.com

Http: // www. industrialproducts-sh.com